ILLINOIS COMMERCE COMMISSION

December 14, 2005

City of Chicago, Cook County, Illinois Petitioner,

Vs.

T05-0065

Union Pacific Railroad Company, Norfolk Southern Railway Company and Belt Railway Company of Chicago Respondents.

Petition for authorization for grade crossing viaduct reconstruction as part of the City of Chicago – ICC vertical clearance improvement program on 87th Street in the City of Chicago, County of Cook, Illinois.

Mr. Jack Pace Assistant Corporation Counsel City of Chicago 30 North LaSalle Street, Suite 900 Chicago, IL 60602-2580

Dear Mr. Pace:

Receipt is acknowledged of the original and three (3) copies of the Petition filed December 13, 2005 in the above matter.

All future correspondence/pleadings should be filed with an original and two (2) copies and addressed to: Mr. Dave Lazarides, Acting Director of Processing, Illinois Commerce Commission, 527 East Capitol Avenue, Springfield, IL 62701 or you may file the original electronically through E-docket if you have an account. To apply for an account, please log on to www.icc.state.il.us and apply for an E-docket account.

Processing and Information Section

ΚI

Cc:

Mr. Mack Shumate, Jr., UP

CT Corporation System, UP

Mr. Dave McKernan, UP

Mr. Thomas W. Ambier, NS

Mr. Richard E. Boyle, NS

Mr. Rick Ray, NS

Mr. Timothy Coffey, Belt Railway Company of Chicago

Ms. Alaina Bridges, City of Chicago - DOT

ORIGINAL



STATE OF ILLINOIS ILLINOIS COMMERCE COMMISSION

Illinois Commerce Commission
RAIL SAFETY SECTION

Petition for authorization for grade crossing viaduct)		
reconstruction as part of the City of Chicago - ICC)	TO5.	0065
vertical clearance improvement program on 87th Street)	103	
in the city of Chicago, County of Cook, Illinois)		

PETITION

Now comes the City of Chicago ("City"), by and through its attorney, Mara S. Georges, Corporation Counsel, and petitions for authorization to reconstruct certain railroad viaducts as part of the City of Chicago - ICC vertical clearance improvement program on 87th Street in the city of Chicago, County of Cook, Illinois. In support of its Petition, the City states the following:

- 1. Eighty-seventh Street is an east-west arterial highway in the city of Chicago. As part of the City ICC vertical clearance improvement program, the City intends to reconstruct a portion of 87th Street approximately 1900 feet in length, lowering the pavement grade of the highway.
- Within the overall reconstruction project footprint, three viaducts span over 87th Street containing railroad tracks of the Union Pacific, Norfolk Southern and Main Belt Railroads. The reconstruction project will start at a point app. 200 feet west of the viaduct owned by the Union Pacific and extend east from that starting point app. 1900 feet.
- 3. The westernmost viaduct, DOT No. 867203B, is owned by the Union Pacific Railroad ("UPRR") and it is currently within the jurisdiction of the Illinois Department of Transportation ("IDOT"). IDOT and Cook County are in the process of formally



finalizing an agreement to transfer jurisdiction from IDOT to Cook County. The UPRR will be raising the current vertical clearance of the viaduct from 12' 8" to a minimum clearance of 14' 6". The reconstruction project will retain this new minimum clearance. The next viaduct to the east of the UPRR viaduct is a viaduct owned by the Norfolk Southern Railway and it is currently within the jurisdiction of the Illinois Department of Transportation ("IDOT"). IDOT and Cook County are in the process of formally finalizing an agreement to transfer jurisdiction from IDOT to Cook County. It has a current vertical clearance of approximately 23' 8" and this clearance will not be materially altered by the City's reconstruction project. The next viaduct to the east, DOT No. 843844P, is owned by the Main Belt Railroad and is currently within the jurisdiction of Cook County. This viaduct has a current vertical clearance of 13' 0" and the City's pavement reconstruction project will lower the pavement resulting in a minimum clearance of 14' 6". Attached as Group Exhibit A are design specifications as prepared by HDR, Inc. in conjunction with the Chicago Department of Transportation.

- 4. The City of Chicago requests that the Illinois Commerce Commission waive its vertical clearance requirements of 92 I.A.C. 1500 in that the vertical clearances of the viaducts at issue will be increased but will not meet the ICC's minimum clearance requirements..
- 5. The current estimated cost of the project is \$4,877,742.00. The City requests that \$2,029,800 or 41.61% of the total cost be paid out of the Grade Crossing Protection Fund of the Motor Fuel Tax Law. The remaining \$2,847,942 of the project cost would be paid by Cook County. Each of the railroads would remain responsible for all future maintenance obligations of their respective viaduct.
- 6. The City of Chicago requests expedited review of this petition and an order issued before

January 31, 2005. The current plan is to advertise for construction bids on February 1, 2006, with construction scheduled to start April 1, 2006 and for construction to be completed by September 30, 2007. The City of Chicago requests that an order be issued without hearing, but in the event a hearing is required, the City of Chicago respectfully requests that the hearing be held in Chicago, Illinois.

WHEREFORE, THE CITY OF CHICAGO prays that the Illinois Commerce

Commission conduct an expedited review of this Petition and enter an Order approving the viaduct reconstruction projects as part of the vertical clearance improvement program and approve the funding requested from the Grade Crossing Protection Fund of the Motor Fuel Tax Law no later than January 31, 2006 as provided in this Petition. The City of Chicago further requests that the Order be granted without a hearing, but in the event a hearing is required, that the hearing be held in Chicago, Illinois.

Respectfully submitted, CITY OF CHICAGO Mara S. Georges

Corporation Counsel

Jack A. Pace Senior Counsel City of Chicago Department of Law 30 N. La Salle Street Suite 900 Chicago, Illinois 60602 312-744-6997

STATE OF ILLINOIS ILLINOIS COMMERCE COMMISSION

Petition for authorization for grade crossing viaduct)	
reconstruction as part of a vertical clearance improvement program)	
on 87 th Street in the city of Chicago, County of Cook, Illinois)	:

NOTICE OF FILING

TO: SEE ATTACHED SERVICE LIST

PLEASE TAKE NOTICE THAT ON THIS DATE I caused to be mailed to the Illinois Commerce Commission, 527 East Capitol Avenue, P.O. Box 19280, Springfield, Illinois 62794-9280, by Federal Express, the original and three (3) copies of the City of Chicago's Petition for authorization for grade crossing viaduct reconstruction as part of a vertical clearance improvement program on 87th Street in the city of Chicago, County of Cook, Illinois.

Dated: December 12,2005

CERTIFICATE OF SERVICE

I, JACK A. PACE, an attorney, hereby certify that a copy of the foregoing Petition for authorization for grade crossing viaduct reconstruction as part of a vertical clearance improvement program on 87th Street in the city of Chicago, County of Cook, Illinois. was served upon the party or parties listed on the attached service list, by hand delivery, facsimile or by first class mail, postage prepaid, from Suite 900, 30 North La Salle Street, Chicago, Illinois 60602, in accordance with the Rules of Practice of the Illinois Commerce Commission.

JACK A PACE
Senior Counsel

30 North La Salle Street, Suite 900 Chicago, IL 60602 (312) 744-6997

Service List

Randall D. Smith Assistant Chief Engineer The Belt Railway Company of Chicago 6900 S. Central Avenue Bedford Park, Illinois 60638

Gary Wilwerding Union Pacific Railroad 301 W. Lake Street Northlake, Illinois 60164

Tom Bracey
Senior Engineer Public Improvements
Norfolk Southern Corporation
1200 Peachtree Street
Atlanta, Georgia 30309

Christopher C. Synder Transportation and Planning Bureau Chief Cook County Highway Department 69 West Washington Street, Room 2345 Chicago, Illinois 60602

Brian Vercruysse Illinois Commerce Commission 527 East Capitol Avenue Springfield, Illinois 62794-9280

STANDARD SYMBOLS

TEMBORARY BENCHMARK 1 ELEVATION 19,77
SET ON CHAPM BOLT ON FIRE WEBENT ON SOUTH
WEST CORNER OF 88TH STREET MAD ECOLESTON AVENUE TEJPORARY BENCHMARN 2 ELEVATION 19-88 SET ON CHAIN-BOLT ON FIRE HYDRANT ON SOUTH MEST CORNER OF SITH STREET AND ECCLESION AVENUE TELPORARY EQUICHARRY 3 ELEVATION 10.53 HT GAT ON CHARM BOLT ON FIRE HYDRAYT ON SOUTH EAST CORNER OF WOLLAND ROAD AND BITH STREET

CITY BENCHMARK 333 SOUTH STREET AND 13,7" REST OF WEST LINE OF EGGLESTON AVENUE

BENCH MARKS:

ELEVATION AT TOP OF CURE AT POINT INDICATED ELEVATION OF PLORELINE OF GUTTER AT FORKT MOJEKTED

FELDORERY BENCHMARK 4 ELEVATION 9.68 SET ON CHANN BOLT ON FINE HYDRANY ON HORFH SIGE OF BYTH STREET AND 2 210° E-SST OF HOST EASTERLY BRIDGE EAST OF MOLLIAM FRANC STA.



ISSUED BY: DEPARTMENT OF PROCUREMENT SERVICES
BARBARA LUMPKIN, CHIEF PROCUREMENT OFFICER

CITY OF CHICAGO

RICHARD M. DALEY, MAYOR

EXHIBIL PKHIBIL

DEPARTMENT OF TRANSPORTATION

CHERI HERAMB, ACTING COMMISSIONER

DIVISION OF ENGINEERING

BOB LOOMIS, P.E., DEPUTY COMMISSIONER


CONTRACT PLANS

W. 87TH STREET

VIADUCT CLEARANCE IMPROVEMENT

S. NORMAL AVENUE TO 1020' EAST OF S. HOLLAND ROAD NORFOLK SOUTHERN RR, UP RR AND MAIN BELT RR

B-0-214 00-B0214-00-PV C.D.O.T. PROJECT NO.: SECTION NO.:



T 37 N END IMPROVENCES 51%, 26-456.03 On. 817N SPREED T 38 N T 37 N BEGIN IMPROVENENTS --STA, 20+24 ONB W. R7TH STREET) LOP BR-

PROJECT LOCATION MAP

1881.32 FEET 0.36 MILES) - 8. 8714 STREET 1873-8 FEET 0.36 MILES) - 5. MICLAND SOON (S. LEG) 1881.32 FEET 0.36 MILES) - 5. MICLAND SOON (S. LEG) 2273.4 FEET 0.26 MILES) - 5. MILH STREET

MSR, Inc. 858, Inc. 859, MSR AVE, SUITE 300 OFF.060, IL 60435

CITY OF CHICAGO DEPARTMENT OF TRANSPORTATION PROJECT FOREQUEATOR PROJECT VELLEGE

CITY OF CHICAGO DEPARTMENT OF STREETS AND SANITATION

OCPUSY COUNTSSIONER, DIVISION OF ENGINEERING

DEPUTY CONDESSIONER, DIVISION OF INFRESTRUCTURE USHAGOLEKT

DIPLOY CONUSSIDER, RURER OF ELECTRICITY SENTY CONSSIDER, BUREAU OF FORESTRY

OSPULY CONUSSIONER, BURGIS OF EXCHEGAING SERVICES DEPARTMENT OF WATER MANAGEMENT CITY OF CHICAGO

CITY OF CHICAGO
OFFICE OF EMERGENCY MANAGEMENT
AND COMMUNICATIONS SERVIT SPECIOS / SERVITORIOS PROPERTOS PROPERT

MANAGOS DEPUT GIRECTOR / DATE TRAFFIC READONNY AUTHORITY

INDEX OF SHEETS

SHEET IT'LE	COVER SHEET, STANDARD SYNBOLS	INDEX OF SKEETS AND ABBREVIATIONS	CENERAL NOTES	SUMMARY OF OUGHTITIES	HORIZONTAL ALIGNMENT	HORIZONTAL ALIGNMENT THE SHEET	DETOUR PLAN	EXISTING AND PROPOSED TYPICAL SECTIONS	EXISTING CONDITIONS AND PROPOSED TAPROVEMENTS	DRAINACE PLAN AND PROFILE	PAVEMENT MARKING AND SIGN PLAN	CROSS SECTIONS	DETAIL DRAWINGS	PAVENENT CORE LOGS	SOIL BORING LOGS	WATER MAIN PLANS
ON THS	10-0	C-05	C-03 - C-04	C-05	C-06 - C-07	6-0 · 80-0	01-5	27-0 - 11-0	C-24 - C-29	C-30 - C-35	C-36 · C-38	C-40 - C-50	C-51 - C-54	C-55	25-3 - 95-3	C-58 - C-62

<u>ABBREVIATIONS</u>

METROPOLITAL WATER RECLAMATION DISTRICT OF GREATER CHICAGO OFFSET PORTLAND CEMENT CONCRETE

A STATE OF THE STA	2001	AVENUE	AVERAGE	84SELINE	SITUMINOUS	80ULEVARD	COMMONWEALTH EDISON	CENTERLINE	CENTERLINE TO FACE OF CURB	EDGE TO FACE	EXTRA STRENGTH WITRIFIED CLAN	FACE TO FACE	INVERT	1551	MAST ARM	
		av.	TAG.	σ'n	FIE	etvo.	W.	ų	l.,	٠ •	Syc3	 - L	NA.	ij	Ne.	

PAIR
PRECINT
PROPOSEO
RADIOSEO
RICHT-UP-WAY
RAILROAD
RICHT
STREET
STREET

NWRICK OFF PRCC PRCC PROP. PROP. PRO.W. PR. R. R. ST. 17P.

87TH STREET AND S. HOLLAND ROAD

DESCRIPTION.

REVISIONS

INDEX OF DRAWINGS AND ABBREVIATIONS

CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING

C-05

SENERAL NOTES

- ANY REFERENCE TO STADJAGO PRECENCATIONS TAKOUGHOUT THE PLANS ON SPECIAL PROPERTY OF THE CHILD BY INTERPRETED TO BE THE LILIPOST OFFICEARCHATON TO STRUNGAGO SPECIFICATIONS FOR BOOD AND BROOK CONSTACTION STRONG STRUNGAGO SPECIFICATIONS FOR BOOD AND BROOK CONSTACTION STRUNGAGO SPECIFICATIONS FOR BOOD AND BROOK CONSTACTION STRUNG SPECIFICATIONS. ADDREED JANUARY 1, 2005, 440 THE 1901 SUPPRICEMENT SPECIFICATIONS, ADDREED JANUARY 1, 2005,
- all elevations shown on the plans refer to chicago city datur which is 579.88 peet above mean sea level, 1935 loadstarit.
- THE CONTRACTOR SHALL MAE HIS ONN INVESTIGATION TO DETERMINE THE EXSTENCE, WATURE AND LAPORTEMENCES STITHEN THE LIMITS OF THE IMPROVEMENT.
- DE CONTRACTOR SHALL PROTECT EXISTING, AND ACM UTILITIES WERN CONSIDERED.
 MACESSAR OF THE COMPASSIONER. BY EXTRAORS DAMPERE BY THE COMMISSIONER. AND ACM SHALL BAPER AND SUPPORT THE UTILITIES PROPERT TO PREVENT STRILLOGGE.

 USSALCEMEN OR CHARKE TO THE UTILITIES. THE PROTECTION OF THE UTILITIES AS SPECTATED HEREW WILL NOT BE PAID FOR SEAATELY, BUT THE COST THEREOF SHALL.

 SE CONSIDERED INCIDENTAL TO THE CONTRACT.
 - THE CONTRACTOR SHALL MAINTAIN THE SURFACE BRAINAGE OF THE ROAD DURING CONSTRUCTION OF THIS PROJECT,
- THE ELECTRICAL AND WATER RELOCATIONS ARE TO BE DONE BY OTHERS. ģ
- THE UTHILL COMPANIES OR THEIR CONTRACTORS WILE PERFORM THE REQUIRED ADJUSTMENT TO THEIR UTHILITIES.
- THE CITY DOES NOT GUARANTEE THE COMPLETENESS OR ACCUSAGY OF THE INVORMATION SHOWN ON THE PLANS EXCENDING UTILITIES. ETHER PROBLE OR REPORTS, SIGH AS ASSESS, MANDOLES, LATCH BASINS, LOS AND MATER MAINS, TELEWONE AND ELECTRICAL COUTLINES AND SHALLEN STRUCTURES. THE CONTRACTOR SHALL WEITH THE EXACT TO COUTLINES THAT MAY INTERFERE WITH CONSTITUTION OPPORT TO THE CONSTITUTION OPPORTIONS SHALL REPORT TO THE COMPLISSIONS AND STRUCTURES. TO SHALL REPORT TO THE CONSTITUTION OPPORTIONS AND INCLINES SHALL BE CONSIDERED TO THE CONTRACT OF THE CONTRACT OF THIS WORK WILL BE CONSIDERED TO THE CONTRACT.
 - PROF TO STARTING CONSTRUCTION AND INSPECTION OF ENSTINE AMERICES, AND CARDA
 ENSINE MEDIES HAVE ENRICH THE OFFICE OF THE CONTRACTOR SHALL ILLEAN OFFICE STRUCTURES, PROFILED OF OFFICE OF
 - ALL LIVE DRAINS SHALL BE RECONNECTED TO THE PROPOSED SENER. THIS WORK SHALL BE THE ACCORNANCE THIS SECTION GOT OF THE STANDARD SPECIFICATIONS. PAYADIT SHALL BE MADE AT THE CONFRACT UNIT PRICE PER LINEAL FOOT OF THE SIZE AND TYPE OF SEWERS REQUIRED.
- 41, UNGERGROUND SEIRER WORM, INCLUDING, BUT NOT LIMITED TO STRUCTURE GLOSSTHEINTS. MIST BE FREWENDED BY A LICENSED RAINLANDED REALITS. AND INSPECTIONS OF THE DEPORTMENT OF DATRIST MAINTEDIENT. ≓
- IN ACCORDANCE WITH MATRIE IS OF THE GREPH, CONDITIONS, THE CONTRACTOR SHALL SHOULD AS ASSENCE OF THE STREAM.

 NUMBER A THE SCHOLLE SHALL PHE CONSTRUCTION OF THIS PROJECT THE STREAM.

 PARTICLAR ATTENTION SHOULD BE CIVET IN THE WORN IT THIS ARE TO BE CONFLETED.

 OUTER, SERVICES, ALLEST AND DATEBRINS, ANY OF THE THEIS RAMONED SHALL BY SPELLEGE OF THE SCHOLLES THE STREAM SHALL BY SHE SHOULD SHALL BY SHALL BE DECIDENT.

THE CONTRACTOR SHALL CHECK THE ELEVATIONS AT THE PREVENT. THE BEFORE SETTING THE TOP OF COURSE ELEVATIONS AND IT HELESSAN, SHALL ALTER THE CURB EMPOSIBLE AND SECURITIES ELEVATION TO MEET ALL-CENT PROPERTY LIKE ELEVATIONS TO THE SATISFACTION OF THE COMMISSIONER.

ź

- THE CONTRACTOR SHALL TAKE ALL RECESSARY SAFETY FREGACIOUS TO PROTECT ABUTTING PROPERTY, UTLITIES, PEDESTRIANS AND YENCULAR TRAFFIC. <u>:</u>
- IT IS CALLED TO THE CONTRACTORY ATTENTION THAT WE NAME BE REQUIRED TO MAY INSPECTION. FEES TO THE WARREND EDMARMANTS OF THE CLTN AS LAKEAGARS AS LAKED IN SECTION THE SPECIAL CONCULTORS.
- THE CONTRACTOR SHALL DOBLEIN NECESSLAY PERNITS FROW THE CITY OF CNICAGO PRIOR TO COMMENCING, CONSTRUCTION.
- ALL NUMERICAL VALUES ARE IN COOT UNLESS OTHERWISE NOTED.
- EASTING PARKAYS ABUTING CUSS SKALL BE EXCAVATED ONE FROM TO BLICK OF THE CURB. THE MAS SKALL BE TOP SOUTHER AND PROPERTY OF POT CLASS CRADE. TOPOSTIL AND SOUTHER THE RE-LAKED IN PARKAYS BEIND THE CAPE AND GUTTER AS OFFICED BY THE COMMISSIONER. 20
- THE CONTRACTOR SHILL THE ALL MECESSARY PRECAUTORS TO PROTECT THE EXISTING FENCES AND QUARDRALLS CONTRACTORS. THE CONTRACTORS SHALL BEFORE TO COMPRACITOR. THE CONTRACTORS SHALL REFLECT THE DAUGNOOF FENCE OR CONTRACTOR. THE CONTRACTORS SHALL REFLECT THE CONTRACTOR. THE CONTRACTORS SHALL REFLECT THE CONTRACTOR THE CONTRACTOR SHALL SEVENT THE THEORY THE CONTRACTOR. 65
- NO EXCRASION SHALL, 28 PERGITTED MORE THAN ONE FOR 1: TRAN THE BLOCK OF PROPOSED CLOSE AND SOLITED WHICH THESE SHALL BE EXCROSED BY THE SHALL BE CONSIDERED. THE SHALL BE CONSIDERED. PROSECULAR THE SHALL BE CONSIDERED. PROSECULAR THE SHALL BE CONSIDERED. PROSECULAR TO ESTH PERSENTION. ę,
 - THE CONTRACTOR SHALL SE RESPONSIBLE TO LAGEDLATELY MATER: THE BLIREAU OF TRAFFIC BURKERING THE OFFICENCY OF OFFICENCY OF OFFICENCY OF OFFICENCY OF 25. ä
- DEGREGA A POSTING OF THE EXISTING STORMAL WILL BE REMOVED. THE CONTRACTOR WILL SAW CUT MAY REMOVE THE STORMAL AS STREETED BY THE COMMISSIONER THE SAW CUTTING SAME LIBE CONSISTED INCIDENTAL TO THE CONTRACT MAIT PRICE THE SAME ROUTE.
 - THE BATHE LAES HALDN IS TO RECEIVE BITHAINFAUS MATERIALS FRIBE COATY SHALL BE SYMPT CLALE REFORE THE AMARTHAIL SAPPLIED. THE SYSEPLYS SHALL WIT BE DESTITED IN THE COLTER OF ON THE CLAB. PARKANY, OF SIGELYL, BUT SHALL BE PRICED UP AND SISPOSED OF PROPERTY SETONO THE LUIS OF THE PROJECT ON THE SIZE DAY THAI SHEEPHE IS DONE. HIS WORK ALL NOT BE PLAY FOR SPARATELL, BUT SHALL BE CONSIDERED INCIDENTAL TO BITHAINDUS MATERIALS, POPUE COAT
 - THE CONTRACTOR SHALL NOTIFY THE PAST OFFICE OF ANY WALL EAST TO BE REDAVED OR REDUZING THE CAS THE CAS THE SHALL BE CRESIDED ON INCIDENTAL TO STOCKELS REDAVED.
- I/I2-INCH THICK EPPRASION JOINTS SHALL BE PILACED BETREEN THE STDEMALK AND ALL STRACTIRES SUIT AL LIGHT STRAMBORS, TRAFFIC LIGHT STANDLASS, AND MANORINE, TRAFFIC LIGHT STANDLASS, AND MANORINES WHICH STRAIN HOUSES OF THE PLANS.

- - NEWS THE PAYMENT (CRESTANTES) STATURED COMPRETE BASE COURSE ON PORTAGE CREATE CONFISCULAR SANGERS, "CALL IN SER OPERED TO THE MERTEL REQUINE PORTAGE CREATE CONFISCULAR SANGERS AND SANGERS FREION AS DESPED IN ACTIOLE TO MASCAGE OF "IN STANGARD SPECIFICATIONS AND UNTIL THE JOINTS WAVE SANGERS SANGERS. Heaffic Shall, BE mainting to say thesero, and flash the Shall, BE Prohibited within 50 feet of the Contraction last, in 1875, the contraction shall notify the Buffery to Praftic Evelogists and operations, as wares before ŗ,
- WHEN THE PAVEMENT CHESTROTTED IS PRESTAND CENERAL CONTRETE BASE COUNTS, OR PORTLAND CENERAL CHESTER MASS AND CENTRACTED IN ACCORDING TO STITE HIS STANDAMON SPECIFICATIONS, HE CHARACT SPECIFICATIONS AND THE STANDARD OF SPECIFICATIONS. ĸ,
- VOIDS IN THE SUBCADE HETESTAFLY CREATED BECAUSE OF FEMONING EXISTING PAPERNEYN SPALL BE BECKETHILD FITH "SELECTIONS" SOON THE STREAM STATEMENT OF STREAM STATEMENT OF STREAM STATEMENT OF STREAM STATEMENT STORE YEAR STREAM STATEMENT STORE YEAR STREAM STATEMENT STREAM STATEMENT STREAM STATEMENT STREAM STATEMENT STATEM Ŕ,
- F ANY SOFT OR VELONG MATERIALS. AS DETECTED AFTER EXCLAVATION TO THE PROPOSED SUBSIDED. THE COMPARTIES OF SULL AT THE OPERCHON OF THE COMMATISHER, REQUIRE THE MATERIAL AND PREPARE IT OFF A SHALLER FEE MADER. THIS WORK SHALLER FEE MADER SOFT AT THE CONTRACT TWIT PRIZES TOP STATE EXCLAVATION AND STABILIZATION. ç.
- THE LOCATIONS OF FOLL-DEPTH PLANGEON RECONSTRUCTION AS SHOWN ON THE PLANK AND PROSPERATE. COLOUT LOCATIONS SHALL BE RESERVED.
 FIELD WARM THE ENISTING AUGUSTOUS SHALL DEPTH SHELL DEPTH SHELL-DEPTH SHELL-DEPTH SHELL-DEPTH SHELL-DEPTH SHELL SHELL SHELL DEPTH SHELL SH ë
 - THE CONTRACTOR SHALL USE CARE IN CRUDING NEAR TREES WHICH ARE HOT MARKED FOR REMOVAL SO 45 WOT TO EALSE INJURY TO THE ROOTS. TRINKS, OR BRANCHES, 32.
- THE COUTRACTOR SALL, OBTAIN & PERMIT TO REMOVE, PLANT, SPREY, OR IN ANY WAY EFFECT. THE GREENAL ACLITY OF STRUCTURE OF TREES TWILE PARTY TANL. THEY REPAIR MAY BE GREATING THE THE STRUCTURE OF THE BUREL OF TORBESTAN. ŭ
 - PLAN DUNGDISIONS AND DETAILS RELATIVE TO EXISTING STRATIURES HAVE REEN TAYEN FROM EXISTING PLAS AND MES SUBSECT TO NUMBER CONSTRUCTIVE VARIATION. IT SAMEL BE THE CONTRACTORS RESPONSIBILITY TO VARIEY SIGH DUNGSIGNS AND DETAILS IN THE FIELD AND MARE THAT THE CONSTRUCTIVE STRATION DETAILS IN THE FIELD MAINTENES, SUCH VARIETINGS AND DETAILS TO A NAME HAVE CONTRACT WHICH THE SAME HAVE CONTRACT WITH THE SAME HAVE THE SAME HAVE CONTRACT WITH THE SAME HAVE THE SAME HA
 - redifigherement sars shall comform to the requirements of aashto misha, ulligh, or mish grade 400, ij
- ALLES FOR PROPER LEWTH DISCIPLINES GARDINARDED RANGES, AS DEPOTED ON THE PLANS, AND STREAM TO THE PART TO THE DEAT LOCATIONS ON THE PRATITIONS OF DESCRIPTIONS AND CONTRIBUTIONS OF DESCRIPTIONS OF DESCRIPTIONS AND CONTRIBUTIONS OF DESCRIPTION OF DESCRIPTION OF DESCRIPTION CHARGES ALLES SHAPPING THE SAVERENT WARRING CHARS SHALLS AS SHAPPING THE SAVERENT WARRING CHARS SHALLS THE SAVER THE SAVERENT CHARGES THE SAVER THE SAVER
- THE CONTRACTOR SHALL PREAK THE SIDEWALK AROLAND LIGHT POLES PRIOR TO THE REMOVAL OF THE SIDEWALK.
 - ALL RELOVED TRAFFIC STAMALS, POSTS, AND LIGHT POLES SHALL BE DELIVERED TO THE BUREAU, OF ELETTRICITY AS OFFICIED BY THIS BUREAU,
- ACCESS TO EXISTING CROSS ROADS AND DRIVES MUST BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION.

DENOTES INCIDENTAL ITEM OR WORK

87TH STREET AND S. HOLLAND ROAD GENERAL NOTES DESCRIPTION REVISIONS DATE 8

DEPARTMENT OF TRANSPORTATION DIVISION OF ENGINEERING C-03 CITY OF CHICAGO HDR Engineering, if 12/01/2005 NTS | Disable BY: MYT | Disable BY: MYT | Discuss BY: MYT | Discuss BY: LVA | Disable BY Ĭ CONSULTANTS

SENERAL NOTES (CONT.)

- THE EUSTINE PAVEMENT SHALL BE SAW CUT IN ORDER TO PROVIDE FOR A STRAIGHT EDGE BUT OUTH WERE COMMINION CORRECTE UNE BAY OUTSTEEN STORE OF BEALACLD, WHERE STRUCTURES ARE TO BE CREATARD, AS SHOWN ON THE PLANS, AND AS DIRECTED OF THE CAMSISSIONER. FOR CAMSISSIONER, FOR CAMSISSIONER, POR COMMINION CONNECTE, CARD AND STITIES, THE SAW CUT SHALL BE DEEP RACIOUS TO PRESTRAIT THE EXISTING SASE COARSE WERE ACCESSANT TO ASSING A STRAIGHT SDORE OF THE PLL DEFINI SO STRAIGHT SHALL BE THAT DOE FOR THE THE OPERFIELD SHALL BE THAT OF ALL OFFILM. ALL OTHER SAW CUTTING SHALL BY THE TO THE PRESTRAIN ON THE PLANS ON OTHERWISE REQUIRED FOR THIS WORK SHALL BE CONSIDERED FOR THIS WORK SHALL BE CONSIDERED FOR THIS WORK SHALL BE COMMINION THE PLANS ON OTHERWISE REQUIRED FOR THIS WORK SHALL BE CONSIDERED PRIDENTALL TO THE ADADOST REVOLVED. THE WORK SHALL BE
 - any utility that is damaged outning construction shall be repaired on replaced by " contractor at his/her own expense." ÷
- ARY PAVENT REMOVAL AND REPLACEMENT OPERATION TO BE DIRECTLY ABOVE A COMMONIFICAL DISSON COME BD. OCHARTY LINE STALL BE CLOSEY CORORDINED WITH STON AS DEPRESENTATIVES FROM THE CITY OR CHICAGO DEPARTMENT OF TRANSPORTATION AND CONE ED MAST BE PRESENT DURING PERFORMANCE OF THIS RODK, AS ARRANGED BY THE CONTRACTOR.
 - IN JARGES WHERE RADIUS WIRENDO, IS ENCOUNTERED, UTILITY RELOCATION ON ADJACTMENT SHALL BE PERFORMED BY THE RESPECTIVE OFFITT, OWNERS OF A THEIR OWNERS WERE THE OWNER OFFIT WERE THE STREAM OF THIS CONTRACT. THE CONTRACTION SHALL WERE THE WERE THE OWNER OF THIS CONDUMNITION OF THIS CONDUMNITION SHALL BY CONSIDERED WITH THE COST OF THIS CONDUMNITION SHALL BY CONSIDER OF THIS CONDUMNITION SHALL BY CONSIDER OF THIS CONDUMNITION.
- 4,
 - IT IS THE RESPONSIBILITY OF THE UTILITY COMPANY/COVERNABRY AGENCY AND ITS CONSTAL MAYCOVERNABRY AGENCY AND ITS CONSTAL MAYCOVERNABRY OF ORDINA PARKETSARM TAKETSON OF TAKETSON MAYCOVERNABRY OF TAKETS AND AGENCY OF TAKETS ÷
- THE DEPARTMENT OF MATER MANAGEMENT MAST BE NOTIFIED AT LEAST 48 HOURS IN ADVANCE OF CONSTITUTION, WITH THE MALE AND TELEPHONE WHOLESS OF THE RESIDENT ENGINEER WHO COULD BE CONTISTED FOR ANT SERVE ELEMENTED. ŝ,
- IN GREAT TO PROTECT THE CITY'S BENCH WONDARMYIS, ALL BENCH MONDARMY LOCATIONS WITHIN THE LIMITS OF THE PROJECT ARE LIVITED ON THE COPES SHEET. IF ANY BENCH AND LOCATED ON TO DAY BENCH HAVE ANY SHEET ARE NOT LOCATED ON TO THE DAY BENCH MONDARMYS IS ENCOUNTERED, PLASE COUNTET THE OFFWATNERY OF MATIR MANICAMENT MARCHARELY AT STEP 147-891; OF MATIR MANICAMENT MARCHARELY AT STEP 147-891; OF MATIR MANICAMENT MARCHARELY AT STEP 147-893 OR CITY 47,
- IN THE RELOCATION OR CONSTRUCTION OF MOVINGE OR PUBLIC UTILITIES, MACLUDING, PIPER MODERAGINS, AND ON SIGNARDS. THE UTILITY SHOULD BE LOCATED AS EAR MAINS AND OBJECTIVE OF SERVER WITH A MANAGEMENT ACLITIT. A WITHOULD DISTINKE OF THE POSTINE PROBABILITY OF SERVER OLD. THE WAS REALLED BETTER IN SERVER AND THE UTILITY CARRIES LIKE "SERVER AND THE UTILITY CARRIES LIKE" IF "THE UTILITY IS MANAGEMENT OF "SERVER AND THE OUTSIDE T 8

- MUNNOLES, CATCH BASINS, AND INCES LAST BE PROTECTED FAOM THE ENTRY OR ASPHALT/DEBRIS STREET SYSTEM ENTRY COATIONS. OF ALL SERIES SYSTEMED ROSE STREET STREET
- NO TREES, BOLLANDS, OR PERMANDAY STRUCTURES ARE ALLOWED OVER THE ENISTING SEWERS AND SERVE STRUCTURES LOCATORY STATION FOR PUBLIC RIGHT-OF-VAN. THE MINIMAD LICEARANCE RETREEN THE CUTSING OF THE STREAKTINE AND THE CENTER OF TREES SWOLLD BE 15 TO 20 FEET 06PRUNK ON THE SIZE OF THE SERVEN. 30.
- THE UTILITY COMPLAY / COMPRAGNI AGRAY OR ITS REPRESENTING CONTRACTOR SHALL ABMINIST OF THE EXISTING STORE ACTULITIES, MINIOUNG KERES PROTOTORS. AT ALL THIRS, AND COMPOSINET THE PROPOSED IMPROPERSIEST STHE THE OPPOSED OF AUGUST OF THE OPPOSED OF AUGUST AND ACTURINES WHITE SHALL SHALL OF TO AND AT THE PROPERSION OF THE STORE ACTURINES AMANETEMENT OF SERVICES. THE SEWER ACTOR HAS TO BE MAINTENED AT ALL THES. 귫
- EXISTING SECRETS TO BE ABANDONED SHOULD BE REMOVED ON FILLED WITH GROUT AND SO NOTED ON THE HULLS, SERVERS ALLERGE THAIN BE INCRESS, SELLIGE FILLED WITH GROUT, SERVERS AMELLER THAIR OF ALMORED SET AND CARGES ARE CLOSED WITH A PLUG WHILE 2.4 INCRESS SERVER AND CARGES WERE CLOSED WITH BLUGHEAD. WITHIN THE CENTRAL BUSINESS DISTRICT, ALL ARANDONED SERVERS SHALL BE GROUTED. FLORABLE FILL SHOULD BE USED INSTEAD OF GROUT PROSENCE. ŝ
 - EXISTING CATUR BASIN LATERALS TO BE REUSED MUST BE SOURED AND FULSHED IN THE PRESENCE OF THE DEPARTMENT OF WATER MANAGEMENT INSPECTION, A MEN CONNECTION TO THE SENIES IS REQUIRED IF THE EXISTING CATUR BASIN LATERAL IS NOT APPROVED BY THE SENIES INSPECTOR. 53.
 - WHEN A SEWER STRUCTURE IS ABANDOMED, ALL PIPE OPENINGS SMALL GE PLUGGED. STRUCTURES ELELO SITH FORDOM BALEFALL, LUS AND FRAMES REMOVED, AND SUFFACE RESTORED AS PER THE DEPARTMENT OF SERENS. 4

25

- THE FRAMES AND LIDS OF SENES STRUCTURES TO BE ABANDONED. REMOVED, OR FILLED SHOULD SALVAGED, AND THE CONTRACTOR SHALL NOTBY THE DEPARTMENT OF WAITER MANAGEMENT FOR PICKUP. \$5,
 - IN CASE OF ANY DAMAGED TO THE CITY'S SEWER SYSTEM, PRIVATE AND PUBLIC GRAZIN COMPECTION SALEL CONTACT THE CONTENTION SALEL CONTACT THE CONTENTION SALEL CONTACT THE CONTENTION OF WATER MANAGEMENT TAKE DEPOSIT AND THE CONTENTIONS SALEL AT HISTORED NOW EXPENSE, REPLACE THE SAFETED SEWERS, THE CONTENTIONS SALER SYNCTTURES, AND CONTENTIONS, SEWER SYNCTTURES, AND CONTENTIONS SEWER SYNCTURINES, AND CONTENTIONS AS WECESSARY, THE SYRER FOR MAIST BE AMPLIANCED AT ALL THRES. . 26

- | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 ALL PROPOSED MANOLES SHALL BE OF THE TIPE DIG GLANGTER SPECIFIED IN THE PLANS.
 ALL PROPOSED CLICH BASING SHALL BE TIPE A. J. FI. DIAMETER, ALL PROPOSED PARETS SHALL
 BE THE A. ALL MANACES, CLICH BASING, PRIETS, FRAMES, AND LIDS OSED SHALL VEET THE
 CITY OF COLLADO FINANDARS.
- IF THE CONDITION OF EASTING CATCH BASINS OF INCETS IS SUCH THAT THEIR ADDISTRACT.

 IS NOT FEASIBLE AT THE THE OF CONSTRUCTION, THE CONSTRUCTION SHALL FEIRINGS AND INSTRUCT OF THE CONSTSTEMES AS INSECTED OF THE CONSTSTEMES AND THEIR OFFICE THAT OF CONSTSTEMES AS INSECTED. THAT WHO WAS THE BASIN CAN AS THE CONSTSTEMES AS INSECTED. THAT WE CONSTSTEME SHALL DESTINE THE EAST THE AS IN THE LAST THE AS IN THE LAST THE AS IN THE ASSETTING AS IN THE SUBMART THE CONSTSTEME SHALL DESTINE THE AS IN THE LAST THAT AS INCETS AS IN THE SUBMART THE FRANK, OFFICE THE SAS AND THE SUBMART THE FRANK, AND THE SAS ASSETTINGS AS IN THE SUBMART OF CONSTSTEMES AND LICS HAS SEEN PREJUDED IN THE SUBMART.
- » M. ATTERLE, STRETTS, FERGMATED LINS SALLE BE "ALCED TO "ALL SERVES STRECTURES. WHESS OTHER STREETS, MANAGED WESS OTHER COUNTS OFFICE IN "BY SEPARATION TO "A THE STREETS, MANAGED IN TO SEPARATION." oi io
- ENSTRUC ONDIRANCE GRADES AND SHOWN ON THE ENISTING CONDITIONS PLAN. ANY TURB EXECUTIONS WHICH HAR UNMARK TO MEET THE EVISTING PROFINANCE CRACKES TO WITHIN O.S. FEET ANSY BE SUBMITTED TO THE CITY COUNCIL FOR REVISION WITH DEPARTMENT OF WATER HANGEBERT'S NOTIFICATIONS. çç
- THE RESIDENT ENGINEERS AND THE CONTRACTOR SHALL FEED-WEATER THE CITYS ENSITING SCHER PALLITIES INCLUDING POBLE AND PRIVATE ENGINEERS IN THE CHARLO PROCEDURE OF P 61.
- IN LICENTIANS WERE THE MAIL PRESENCES, CHRISTICATES, CHRISTICANS, THERIC AND ENLINE DRAIN CONNECTIONS, ARE DISTURBED ON DALMAGE DERING CONSTRUCTION BY THE CONTRACTORS. III THAIL BE THE CONTRACTORS REPORTED. III THE SET OF THE CONTRACTORS TO SECONDARIES THE CONTRACTORS THE CONTRACTORS THE CONTRACTORS THE CONTRACTORS THE CONTRACTORS TO SECONDARIES AND CONTRACTORS. THE DEPARTMENT OF WATER MANAGEMENT. THE SEMPLE PROCESS WERE CONTRACTORS. A PERMIT FROM THE DEFAINTENT OF UNITED MANAGEMENT SHOULD BE OBTAINED IN JOVANCE FOR ANY UNDERGARDOR SERSE WHE MELLURIAN JANGTAGENT OF SERSE WHE MELLURIAN SHOUTHER STREAM OF SERVING WE PREMISE AND LIDS. TELENSIAN SAMPLEY, CLEANING, LINNE AND THE PERMISE SERVE CONTRACTOR AT 333 SOUTH STATE STREET, SAFE FIG. GREACH, LILINDIS 66694. 63
- THE CONTRACTOR IS RECOURED TO REPLACE ANY BROKEN FRANCE, AND LIDS OF SCHER STRUCTURES STRUCTURES STRUCTURES STRUCTURES AND LIDS. IN A LOUGHTHEFT OR RECORSTRUCTION OF SCHER STRUCTURES, AND WON-STRABORD FRANCES AND LIDS, MISS STRUCTURES AND LIDS, MISS STRUCTURES AND LIDS, MISS STRUCTURES AND LIDS, MISS STRUCTURENT OR RECORSTRUCTION OF PAGES AND LIDS. IN ACAUSTRENT OR RECORSTRUCTION OF PAGES AND AND MISS SOMES AND MISS SERVICED WITH THE DEPARTMENT OF RETIRE ANALOGRAPH FOR THE SYNTHOSO FILES SOMES) MISS BE REPLACED WITH THE DEPARTMENT OF WHITER ę. 6.
- on work completion. The contractor shall provide the sewer unit of the department of where admogreent, for review and acceptance, a video tape of the semigr waits. Š.
- 15-BUILT PLANS WUST BE SUBMITTED STOWN BRIED KORN FOWARTETION. FRALE PAINENT SHALL NOT WARE TO THE COMPACTION DITTL. THE DEPARTMENT OF WAITER MANAGEMENT ATMINIMEDIDGES RECEIPT WAS AS-BUILT PLANS. 99

DEPARTMENT OF TRANSPORTATION DIVISION OF ENGINEERING CITY OF CHICAGO HOR Engineering, (12/01/2005 NTS E BTTH STREET AND S. HOLLAND ROAD SENERAL NOTES DESCRIPTION 应

REVISIONS

C-04

SUMMARY OF QUANTITIES

3	CONTRIBUTION DESCRIPTION DESCRIPTION	LINIT	017.
SPECIAL	SPECIAL WASTE HAULING AND DISPOSAL	ž	3360
TRENCH	FRENCH BACKFILL	č	184
TOPSOIL	, 4-INCH	L)	88
SODDING	SODDING, SALT TOLERANT PRET COMPRO, WASEBING	SY	36
19-93	SUB-BASE CRAMILIAR MATERIAL, TYPE B, 6-INCH	5	1871
STABIL	STABILIZATION STONE	Շ	1202
MAINTE	MAINTENANCE OF ACCESS TO ABUTTING PROPERTY	TOR	100
BITLAN	BITUMINOUS MATERIALS (PRIME COAT)	ay S	221
ACCREC		TON.	ır i
100	NOUS CONNECTE SUPERACE COURSE, SUPERFACE, MIXINGE U, MIC. 1-1/2.	2 2	370
POLYM	POLYMERIZED LEVELING BINDER (MACHINE METHOD), SUPERPAYE, 1L-4,75, N50	TON	001
LEVELI	LEVELING BINDER CHAND METHODS, SUPERPAYE, NSO	TON	45
BITUME	BITUMINOUS CONCRETE SURFACE REMOVAL (VARIABLE DEPTH)	S	2213
PAVENE	PAVENENT FARRIC	SY	8894
HOCH E	HIGH EARLY STRENGTH PCC PAVEMENT (JOINTED), 10-INCH	Sr	8968
E E	STRENGTH P.C.C. DRIVEWAY	à	334
HIGH	HIGH EARLY STRENGTH P.C.C. SIDEWALK, 5-INCH	S.	19303
HIGH.	HIGH EARLY STRENGTH P.C.C. SIDEWALK, 8-INCH, SPECIAL	SF	40
PROTE	CTIVE COAT		291
PEOPL	CASTINITEACE PROFILE DEFECTABLE MARKING SURFACE SISTEM FOR RAMPS FOR PROPIE WITH DISABILITIES, RADIUS TILES		
MBARA	PAVEMENT REMOVAL	λS	8537
DRIVE	ORIVERAY AND ALLEY PAVESSENT REMOVAL	λS	191
COMB	COMBINATION CURB AND GUITER REMOVAL	J.	4648
SIDER	SIDERALK REMOVAL	δę	2106)
MEDIA		33	919
CONCR		Š	13
CLASS	CLASS C PATCHES, TYPE IV, 10-INCH	š	88
H Beid		4	404
STORM	STORM SEWERS, ESUCP. 8-INCH, TYPE 2	<u>u</u>	137
STORU	STORIJ SEWERS, ESVCP, 18-INCH, TYPE 2	ŗ,	273
STORW	STORM SERERS, DIP. 9-INCH	ين	121
STOR	STORM SEVERS. DIP. 12-INCH	Į.	937
3614	PIPE UNDERDRAIN, PESVCP, 6-INCH	J.	3798
ORAIN	ORAIN PIPE REPLACEMENT	'n	001
ORAIN PIPE	COUCTILE IRON OPASH CONNECTIONS, 6-INCH	r.	2
CATCH	흸	4.3	7
MET.	TYPE A, TYPE I FRAME, OPEN LID (21" DEPTH)	ď	P
MANHO	MANHOLE, TYPE A, 4-FOOT DIA, TYPE I FRAME, OPEN LID ICITY OF CHICAGOI	EA	3
MANHO	LE. TYPE B. 4-FOOT DIA TYPE I FRAME, OPEN LID (CITY OF CHICAGO)		6
STEEL	STEEL SHEETING LEFT IN PLACE (UTILITY/SEWER INSTALLATION UNCER VIADUCT)		427
OHWYM	LES, CATCH BASINS, INLETS OR VALVE VAULTS TO BE ADJUSTED	73	61
CITY	CITY ELECTRIC MANHOLES OR HANDHOLES TO BE ADJUSTED	EA	3
11004	ADDITIONAL MASONRY	ΝF	O.
MANH	MANHOLE OR CATCHBASIN TO BE FILLED	EA	22
INE	TO BE REMOVED	3	
۲ <u>۱</u> ۵۶	LIDS, SPECIAL	2	2
FRAMES.	SPECIAL	2	2
ł			

· 15	\$ 00850303	COMBINATION CONCRETE CURB AND GUITER. TIPE S-VID	37	4685
8	60611606		1	358
ç	\$090090\$	CONCRETE CURB, TYPE 4	57	₹.
Z,	60623714	CONCRETE MEDIAN SURFACE (SPECIAL)	<u>"</u>	336
35	1 00681002	CHILL AND GROUT DOWEL BARR (EPOXY COATEC)	72	142
28	\$0302220	CLASS "SI" CONCRETE IMISCELLANEOUS!	Ö	9
S	57000400	ENCHEZENS FIELD OFFICE, TYPE A	CAL VIO	2
99	10103800	TRACFIC CONTROL AND PROTECTION	s,	-
65	10400200	RELOCATE TEMPORARY CONCRETE BARRIER	in.	ß
. 09	78300105	SAUGNENT MARKING REMOVAL, LINES	2.7	952
61	•••	SPOXY PAVEMENT MARKING - LETTERS AND SYMBOLS	5	왔
62	78002110	EPOXY PAVEMENT MARKING - LINE 4-INCH	i.	5264
29	78002130 i	EPOXY PAYEMENT MARKING - LINE 6-INCH	37	522
99	05150062	EPOXY PAVEMENT MARKING - LINE 12-INCH	3.5	0\$1
59	18022180	EPOXY PAYEMENT MARKING - LINE 24-INCH	1	ĸ
99	72000100	"HERMOPLASTIC PAYENENT MARKING-LINE 4"	4	1585
19	78000400	THE PAIDPLASTIC, PAVENENT MARKINGS-LINE 8"	١,	280
68	78000650 3	THERMOPLASTIC PAVEMENT MARKINGS-LINE 24"	- 1	36
89	Z0048665	PANIEROAD PROTECTIVE LIABILITY INSURANCE	1.5	~~
2	:	THEE PLANTING, TILLA TORMENTOSA, "CHICASOLAND" HACKBERRY, BAB 2-1/2 TO	3	Q:
Γ		5. (SAMPLE)		
~	***	EROSION AND SEDIMENT CONTROL	s ₂	-
7.5	:	FURNISH SIGN TYPE 1, NON-REPLECTIVE, SHICKS SIDED	35	9
13	***	FURNISH SIGN TYPE I, REFLECTIVE TYPE A. SINGLE SIDED	35€	83.5
3.4	:	FERNISH AND INSTALL POLE, DIG METHOD	43	^
1.5	:	FURNISH AND INSTALL POLE, DRILL METHUD	7,5	m
9	72000130	INSTALL SIGN PANEL (CENTER, FLAG UR BEGA-TO-BACK MOUNT)	72	ĸ
E		EXISTING SIGN PANEL	13	<u>ا</u> لا
82	;	PENDYE EXISTING SIGN PANEL AND POLE ASSEMBLY PRINT PARKWAY/SIDEWALK	EA	'n
Γ		THE SALVACE		
ę	:	PERIONE EXISTING SIGN PANEL AND POLE ACSEMBLY FROM SIDEWALK/PARKWEY.	2.3	0,
		SALVACE AND REINSTALL		
8	78100100	PAISED REPLECTIVE PAVEMENT MARKER	E	u)
8;		CONCRETE BARRIER, SINGLE FACE, TYPE I REINFORCED!	5	9
. 78	•••	SATERMAIN INSTALLED IN OPEN CUT - 8-INCH	J.	ů,
83	:	MATERNAIN INSTALLED IN OPEN CUT - 12-14CH	2.5	55
9.6	:	TATERMAIN INSTALLED IN OPEN CUT - 24-INCH	27	380
3		WALVE INSTALLATION - 8-INCH	Ę.	-
98	:	CALVE INSTALLATION - 12-INCH	73	2
48	:	: ALVE INSTALLATION - 24-INCH	ĒΔ	-
23		HIGHANT INSTALLATION	Ę	۲,
5		The factor of the property of the pass and		
		THE SIDE CONSECTION TO CA - 30	r.	-

87TH STREET AND S. HOLLAND ROAD	SUMMARY OF QUANTITIES
87TH S'	SUMA

REVISIONS BTH STREET AND S. HOLLAND ROAD ATE DESCRIPTION SUMMARY OF QUANTITIES			CONSULTANI	DRAFE AV	OCCUD BY	37.40	SCIE.
EVISI	87TH STREET AND S. HOLLAND ROAD		SUMMARY OF CUANITIES				
	REVISIONS	DESCRIPTION					

JLLAND ROAD	CITY OF CHICAGO	ICAGO
	DEPARTMENT OF TRANSPORTATION DIVISION OF ENGINEERING	SPORTATION VEERING
ANTITIES	CONSULTANTI FTR MER Engineering Inc.	. Inc.
	DRATE ST: LEVT SHEET HO.	
	CHECKED BY: NPX	100
	APPROX.0 6% LVA	ر-'ر دون
	DATE: 12/01/2005	
	SCUE NTS	

